5439432/2022/REFORMS-ICD01

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – Allocation of 0.09 TMC of water annually (4 times i.e.Once in a Three months totaling to the drawl of 0.09 TMC of water) from Sarvaraja Sagar Reservoir to M/s Aurna Multi Culture Pvt. Ltd., Indukur Village of V.N.Palli Mandal, YSR Kadapa District for Aquaculture Development Center - Permission accorded- Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No.1 **Dated: 17.01.2022**

Read the following:

1. From the CE(P)., WR Dept., Kadapa Lr No.CE (P) &DWRO/WRD/ KDP/TS3/3259/2010, Dt:25-09-2021.
2. Govt. Memo No. ICD01-COOR0MISC/ 60/ Reforms/ 2021, dt.22.10.2021.
3. Form the ENC(I), WRD, Vijayawada Lr.No. ENC(I) / EE / DEE1 / AEE2 / IWS (Sarvaraja Sagar Reservoir) dt:17-12-2021.

****

ORDER

In the letter 3rd read above the Engineer-in-Chief (I), Water Resources Department based on the report of Chief Engineer (P), Kadapa, has recommended the proposal to Government to accord permission to M/s Aurna Multi Culture Pvt. Ltd. to set up an Aquaculture Development Center in Indukuru Village of V.N.Palli Mandal, YSR Kadapa District for allocation of 0.09 TMC of water from Sarvaraja Sagar Reservoir, with the following terms & conditions:

1. The firm/ industry M/s Aruna Multi Culture Pvt. Ltd., Kadapa can't exceed permitted water drawl quantity limits.
2. The firm M/s Aruna Multi Culture Pvt. Ltd., Kadapa has to pay water tax as decided by the Government.
3. M/s Aruna Multi Culture Pvt. Ltd., Kadapa has to restrict the foot valve level to +190.000 meters (i.e. MDDL of the Reservoir) and suitable arrangements should be made and maintained regularly.
4. M/s Aruna Multi Culture Pvt. Ltd., Kadapa has to set up lift at the point in the Sarvaraja Sagar Reservoir as decided by the Department. The work shall be carried out in the presence of departmental staff duly safe guarding the interest of the Water Resources Department.
5. Laying of pipes on upstream and downstream of earthen bund shall be done such that the cross section of the bund shall not be disturbed and damages occurred if any shall be rectified and cost shall be borne by the firm.

6. To construct concrete walls to avoid leakages at pipe line crossings, if any.
7. To arrest the leakages at the joints of pipes and other locations, if any occur should be rectified immediately with their own cost. Further, there should not be any damage to structural components of the Sarvaraja Sagar Reservoir during construction and operation.
8. The entire cost of infrastructure to draw water shall be borne by the M/s Aruna Multi Culture Pvt. Ltd., Kadapa.
9. The water drawn shall be used for the purpose for which the permission is granted.
10. M/s Aruna Multi Culture Pvt. Ltd., Kadapa shall need to take all necessary precautions for avoiding the contamination of Sarvaraja Sagar reservoir water.
11. The Water Resources Department is not responsible for non supply of water due to any uncertainty reasons in any particular year.
12. Water meter or suitable approved digital measuring devices shall be installed by the M/s Aruna Multi Culture Pvt. Ltd., Kadapa with their own cost and shall be kept under the control of Water Resources Department.
13. Suitable arrangements shall be made to access the flow meter at all times for taking the readings.
14. M/s Aruna Multi Culture Pvt. Ltd., Kadapa will pay the security deposit as fixed by the D/epartment, if necessary.
15. M/s Aruna Multi Culture Pvt. Ltd., Kadapa shall abide to any other conditions laid by the Government or Department from time to time.
16. Non adherence to any of the conditions by M/s Aruna Multi Culture Pvt. Ltd., Kadapa entitles cancellation of the permission.
17. The water can be spared subject to the availability of water in the Sarvaraja Sagar Reservoir.
18. Water meters or suitable measuring devices should be installed by the industry at their own cost to measure the water consumed and should be made available to the departmental authorities and the representatives of the users shall be present at all time of inspection. The water meter shall be periodically calibrated and kept sealed. The period of calibration will be specified by the Department.
19. The industry shall obtain the prior concurrence from concerned Departments for laying pipelines and for crossing etc., where ever necessary.
20. No field bodhi or pipeline shall be taken through or along with Government land without approval of government and if permission accorded by the Government the lease should be paid as fixed by Government only.

21. M/s Aruna Multi Culture Pvt. Ltd., Kadapa should make their own arrangements to dispose the treated effluents as per norms of A.P. Pollution Control board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in their natural sources. Necessary clearance from the A.P. Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.
22. The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.
23. The industry must acquire the private land for installation of pumping arrangements. If the industry proposes to utilize Government land for installation of pump house, necessary permissions is to be obtained from the Government for leasing the land and the lease amount fixed is to be paid by the industry.
24. The industry must strengthen the river margin 100m from the toe to the River Flood Bank.
25. The Industry has to lay CC(1:4:8) before laying the pipeline and CC(1:2:4) over the pipeline refill the pipeline with proper soils and consolidate the banks as directed by the Department.
26. The Industry should follow the Revenue Board Standing Orders.
27. The Industry shall pay one year water charges as advance and any amount due to the Department before entering in to agreement.
28. The Industry has to conclude agreement with the officers concerned of Water Resources Department.
29. The Industry shall abide by R.C Act-1884 and any other condition laid down by the Government Department from time to time.
30. The Industry should make its own arrangements for summer storage in their premises only and to conclude agreements accordingly.
31. The Industry has to pay the water charges for the estimated quantity in advance as the start of the financial year i.e., before 10th April every year as per BSO.
32. The proposed drawl for this plant should not affect Lower riparian rights (LRR) and Upper riparian rights(URR) in any manner.
33. The Department is no way responsible for any damages that may occur to the off take point due to floods in Krishna River or on an account of any other reasons.
34. The permission does not confer any riparian right to the industry.
35. M/s Aruna Multi Culture Pvt. Ltd., Kadapa has to produce the relevant records for departmental verification at the end of each quarter periodically.
36. The industry should pay royalty charges as per the Memo No. 2772,dt: 30.09.2015, at the rate of Rs 5.50/1000 gallons as the water is used for consumptive use or at the revised rates fixed by

the Government from time to time. In case of failure to pay water rate/royalty the permissions to draw water shall stands cancelled.

37. The concerned Executive Engineer will be responsible for enforcing the conditions.

2. After careful examination of the matter, Government hereby accord permission for Allocation of 0.09 TMC of water annually (4 times i.e., Once in a Three months totaling to the drawl of 0.09 TMC of water) from Sarvaraja Sagar Reservoir to M/s Aurna Multi Culture Pvt. Ltd., in Indukur Village of V.N.Palli Mandal, YSR Kadapa District for Aquaculture Development Center (in 103 acres of land), subject to the terms and conditions as mentioned at above para.

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada, the Chief Engineer (P), Water Resources Department, Kadapa and the Collector & District Magistrate of YSR Kadapa District, Kadapa shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S.JAWAHAR REDDY
SPECIAL CHIEF SECRETARY TO GOVT.

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Chief Engineer (P), Water Resources Department, Kadapa.
The Collector & District Magistrate, YSR Kadapa District, Kadapa.
The Officer concerned, District Pollution Control Board, Kadapa District.
Copy to:
The Managing Director, M/s Aurna Multi Culture Pvt. Ltd.,,
Indukur (V), V.N.Palli (M), YSR Kadapa District.
The P.S. to the Hon'ble Minister for Water Resources Department.
The P.S. the Spl. Chief Secretary to Government, Water Resources Department.
SF/SC

//FORWARDED::BY ORDER//

P.K. Shanmukha
SECTION OFFICER